

**Instrumente für Hüftprothesen**  
**Instruments for Hip Prosthesis**



**Instrumentation for Austin Moore Hip Prosthesis**




**11-076** Moore Rasp for Standard Stem  
**11-078** Moore Rasp for Narrow Stem



**11-080** Mortising chisel



**11-082** Prosthesis extractor



**11-084** Femoral Head Extractor



**11-086** Prosthesis Driver  
**11-087** Head Only



**11-088** Murphy Lane Bone Skid



**11-260** Thompson Rasp


**Instrumentation for Selflocking Prosthesis**

**Rasps, stainless steel**



Order No:	Head ø mm
<b>11-2400</b>	7.5
<b>11-2402</b>	10.0
<b>11-2404</b>	12.5
<b>11-2406</b>	15.0
<b>11-2408</b>	17.5
<b>11-2410</b>	20.0

**Acetabulum-Fräser-System  
Acetabulum Reamer System**



Fräseraufsatz mit Schnellverschluss  
Reamer with quick locking device

11-3440	ø 40 mm
11-3442	ø 42 mm
11-3444	ø 44 mm
11-3446	ø 46 mm
11-3448	ø 48 mm
11-3450	ø 50 mm
11-3452	ø 52 mm
11-3454	ø 54 mm
11-3456	ø 56 mm
11-3458	ø 58 mm
11-3460	ø 60 mm
11-3462	ø 62 mm
11-3464	ø 64 mm



Standard  
AO Ansatz


11-3470



11-3472

Acetabulumfräser:  
Die Fräseraufsätze werden **schlüssellos** mit dem Fräferschaft gekuppelt. Es ist nur ein Schaft für das System erforderlich.

Acetabulum reamer:  
The reamer heads are coupled with shafts **without a key**. Only one shaft is necessary for the system.



**11-4200** Cup Positioning Guides complete  
**11-4201** Position Guide 40



**11-4210** 32 mm Plastic Cap for Cup Introducer  
**11-4212** 28 mm Plastic Cap for Cup Introducer



C.D.H. Brim for Cup Introducer  
**11-4250** 32 mm Brim for Cup Introducer  
**11-4252** 28 mm Brim for Cup Introducer



**16E-270** Ferrozell Mallet,  $\varnothing$  35 mm, 26 cm, autoclavable  
**16E-271** Ferrozell Mallet,  $\varnothing$  42 mm, 26 cm, autoclavable  
**16E-272** Ferrozell Mallet,  $\varnothing$  50 mm, 26 cm, autoclavable



**11-4500** Curette, small 9 mm / 280 mm



**11-4502** Curette, medium 15 mm / 280 mm



**11-4504** Curette, large 27 mm / 270 mm



**11-4506** Lever for dislocation of Femoral Head 265 mm





**11-4510**  
Lexer Chisel 10 mm  
200 mm length



**11-4512**  
Chisel for cup extraction  
7,5 mm 310 mm length



**11-4514**  
Lexer Chisel 20 mm 315 mm



**11-4518**  
Straight Chisel  
3 mm / 310 mm length



**11-4520**  
Osteotome 16 mm / 310 mm length  
**11-4522**  
Curved Chisel 16 mm / 310 mm length



**11-4524** Bone Chisel,  
ground on one side only  
12 mm / 260 mm  
**11-4526** 20 mm / 315 mm



**11-4528**  
Swan necked Gouge  
16 mm / 315 mm length



**11-4530**  
Swan necked Gouge  
25 mm / 315 mm length




**11-4534**  
Chisel for extraction of cement  
9 mm Angled 15° 330 mm



**11-4536**  
Chisel for splitting the cement  
115 mm / 280 mm




**11-4538**  
Chisel for cement extraction  
9 mm, negative / 280 mm




**11-4540**  
Chisel for cement extraction  
9 mm negativ / 340 mm


**11-4542**  
Chisel for cement extraction  
9 mm positiv / 400 mm




**11-4550** Trochanter Forceps



**11-4552** Hook for Extraction of Cement



**11-4554** Rongeur Forceps for Cement Extraction



Reamer with T-Handle for cement, 330 mm length

- 11-4570 Hand Reamer 7 mm
- 11-4572 Hand Reamer 8 mm
- 11-4574 Hand Reamer 9 mm
- 11-4576 Hand Reamer 10 mm
- 11-4578 Hand Reamer 11 mm
- 11-4580 Hand Reamer 12 mm
- 11-4582 Hand Reamer 13 mm
- 11-4584 Hand Reamer 14 mm



11-4600 Langenbeck Retractor



11-4602 Volkman Skin Retractor 38 mm




**11-4604** Sharp Bone Hook




**11-4608** Joint Capsule Scissors



**11-4610** Weight (1250 gr) for Muller Femoral Retractor




**9-676** Hohmann Retractor 24 mm



**11-4650** Muller Femoral Retractor 26 mm broad







**9-666** Hohmann Retractor Wide 43 mm  
**9-660** Hohmann Retractor Narrow 18 mm



**11-4652** Anterior Retractor 43 mm



**11-4654** Joint Capsule Clamp




**11-4656** Anterior Retractor 22 mm  
**11-4658** Anterior Retractor 22 mm with insert hole





Technische Änderungen vorbehalten  
Technical features are subject to change  
Cambios técnicos reservados  
Ci riserviamo il diritto di modifiche tecniche



**erbrich - instrumente GmbH**  
Eugenstr. 33 · D-78532 Tuttlingen  
Tel.: +49 74 61 / 96 57 30  
Fax: +49 74 61 / 9657 320  
E-mail: [erbrich-instruments@t-online.de](mailto:erbrich-instruments@t-online.de)  
Website: [www.erbrich-instruments.com](http://www.erbrich-instruments.com)